

**ClariSure GP** cartridge filters are specially designed multilayered precision filtration devices. These cartridge filters act as throughput enhancers, specially in case of difficult to filter solutions.

A microglassfiber upstream layer retains very fine colloidal particles and a downstream polypropylene layer checks any kind of media migration.



Complies with USDFA 21 CFR 210.3(b)(6)
Meets and Exceeds USDFA 21 CFR 177.1520

### Applications


- Pre-filtration of difficult to filter SVP
- Polishing of turbid solutions

### Specifications

Construction				
Pore Size	0.5 µm, 1 µm and 2 µm			
Filter Media	Microglassfiber			
Support Layers	Polypropylene			
Body and Core	Polypropylene			
Size				
Size	5"	10"	20"	30"
Effective Filtration Area (Nominal)	2500cm <sup>2</sup>	5000cm <sup>2</sup>	10000cm <sup>2</sup>	15000cm <sup>2</sup>
Operational				
Max. Operating Temperature	80 °C @ < 30 psi (2 Kg/cm <sup>2</sup> )			
Max. Differential Pressure	50 psi (3.5 Kg/cm <sup>2</sup> ) @ 25 °C			
Sterilization	Autoclavable/Steam Sterilized at 121°C for 30minute, 30 Cycles.			
Assurance				
Toxicity	Passes Bioreactivity test, In Vivo, as per USP <88> for Class VI plastics			
Non Fiber Releasing	Passes test as per USP and comply with USFDA 21 CFR Part 210.3(b)(6) for fiber release			
Extractables with WFI	Passes test as per USP			
Oxidizable Substances	Within limits as specified in USP			
Particle Shedding	Passes USP test for particulates in injectables			
Indirect Food Additive	All Polypropylene components meet the FDA Indirect Food Additive requirements cited in 21 CFR 177.1520			
Good Manufacturing Practice	These products are manufactured in a facility which adheres to Good Manufacturing Practices.			
Quality Management System	ISO-9001:2008 Certified			
USFDA	DMF No. 015554			

# Water Flow Rates

ClariSure GP, 10" Cartridge Filters



## Ordering Information

Type		Size		Pore Size		Adaptor		Elastomer		Sterility		Pack Size	
	Code		Code		Code		Code		Code		Code		Code
Clarisure GP	CPGP	5"*	53	0.5 µm	04	7P	A0	Silicone	SS	Non Sterile	1	1	01
		10"	54	1 µm	05	7P without Fin	A1	EPDM	SE				
		20"	55	2 µm	15	'0'	D0	Viton	SV				
		30"	56					FEP Encapsulated Viton	FV**				

**Example**

CPGP	55	04	A0	SS	1	01
------	----	----	----	----	---	----

\* Size 5" are available in code A0 (7P) and A1 (7P without Fin) only

\*\*FV is available in Adapter Code A0 (7P) and A1 (7P without fin) only



**Gesfilter, S.L.**

Distribuidor Oficial España

Avenida Cerdanyola, 92-94 Local B4

08173 - Sant Cugat del Vallès - Barcelona

Tel: 935921554 - Email: comercial@gesfilter.com

www.gesfilter.com

## Advanced Microdevices Pvt. Ltd.

20-21, Industrial Area, Ambala Cantt-133 006, INDIA

Tel : +91-171-2699290, 2699471 Fax : +91-171-2699221

E-mail : info@mdimembrane.com Internet : www.mdimembrane.com